

Tooling & Cable Preparation

- Ident & Wiring Term
- Copper Lugs
- Heatshrink Repair
- Cable Joining
- Junction Boxes
- Flexible Conduit
- Cable Guards
- Gland Accs.
- Cable Cleats
- Earthing Lightning
- MISC Cable
- Cable Ties & Acc
- Tooling & Cable Prep
- Fixing & Security

Tooling & Cable Preparation

Our range of cable cutters and crimping tools begin with compact hand held tools suitable for cutting cables up to 38mm² moving up to 250mm² and extending right up to heavy duty ratchet style cutters, capable of cutting cables up to 400mm² with ease. The crimping tools we offer, as you would expect cater for every terminal and lug we supply whether it be a simple cord end terminal, a heat shrinkable terminal or uninsulated terminal or may be a 400mm² copper lug.


Can you crimp it? Yes you can!



Hand Cutting & Crimping Tools: Explore our comprehensive selection of tools designed for precision in electrical work. Our Heavy Duty Hand Cutters, available in six variants, cater to cables up to 400mm² with a ratchet mechanism. Complementing our wiring terminals, our Crimping Tools, featuring a reliable ratchet mechanism, guarantee sound electrical and mechanical terminations. Ensure optimal performance with the right tool for specific terminals in your tool kit.

Hydraulic Crimping Tools: Our Hydraulic Crimping tools are available for use on lug sizes from 10mm² up to 630mm². Available in both hand or foot operated styles, they are easy to use and portable. Dies are available as a set or individually to suit your requirements.

Battery Powered Crimp Tools: The TorqTek BPT300 and BCT400 redefine precision crimping. The BPT300, with a 60kN crimping force, suits lug compression from 10-300mm², offering versatility with a 180° head rotation. Its OLED Display shows real-time data. The BCT400, boasting a formidable 120kN crimping force for 10-400mm² lugs, features a 350° head rotation. Both tools exhibit advanced two-stage hydraulic systems, ensuring efficiency. The Li-Ion batteries with OLED Displays enhance operational control and charging speed, making them indispensable for diverse crimping needs.



SECTION CONTENTS | Tooling & Cable Prep



Cable Tie Tools

P. 268 | 269



Cable Cutters

P. 270 | 271



Cord/Insulated Crimping Tools P. 272 | 273



Uninsulated Crimping Tools P. 274 | 275



Hydraulic Crimping & Cutting P. 276 | 278



Battery Powered Crimping Tools P. 279 | 280



Tool Hire Solutions

P. | 281



Ident & Wiring Term

Copper Lugs

Heatshrink Repair

Cable Joining

Junction Boxes

Flexible Conduit

Cable Glands

Gland Accs.

Cable Cleats

Earthing Lightning

MCC Cable

Cable Ties & Acc


Tooling & Cable Prep

Fixing & Security

MANUAL TENSIONING TOOL

Cable Tie Tools


Remora offers a wide range of manual tooling for both nylon and stainless steel cable ties. Available from the basic manual tensioning hook through to adjustable tension and automatic cut off features.



Manual Tensioning Tool (Stainless Ties)

Tensions and cuts off Stainless Steel Ties up to 12.7mm wide regardless of material or coating.

Material: Steel



Code	Description
------	-------------

KE9222	Metal tool designed for coated or uncoated Stainless Steel cable ties up to 0.3mm and up to 12.7mm width. Once the desired tension is reached the tool has a manual lever to cut off tail excess tie length.
--------	--

STEP 1: Place the cable tie around the object to be secured.

STEP 2: Insert the tail through the slot and into the jaw and tension by repeatedly pressing the tool handles together.

STEP 3: After tensioning, pull the silver cutting level upwards. This will shear off the tail neatly next to the cable tie buckle.



Stainless

Manual Tensioning Hook


Used to tension Buckle Lock Ties.

Material: Steel



Code	Description
------	-------------

AE2011	Hand tensioning hook for reusable cable ties
--------	--



Auto Tensioning Tool (Stainless Ties)

Hand tool for tensioning Stainless Steel Cable Ties between 0.3 - 7.9mm width.

Complete with tension indicator and automatic excess tie cut-off.

Material: Steel



Code	Description
CT511	Metal tool designed for coated or uncoated Stainless Steel cable ties from 0.3 to 7.9mm width. Complete with tension indicator and automatic tie excess cut off

STEP 1: Place the cable tie around the object to be secured.

STEP 2: Insert the tail through the slot and into the jaw and tension by repeatedly pressing the tool handles together.

STEP 3: After tensioning, move the tool with an up and down movement and twist the tool in a clockwise direction. This will shear off the tail neatly next to the cable tie buckle.



Cable Tie Tensioner

Hand tool for tensioning Nylon and Stainless Steel Cable Ties up to 4.8mm width. Complete with adjustable tension and automatic excess tie cut-off.

Material: Steel




Code	Description
CT411	Hand tensioning tool with tension control settings. Suitable for nylon cables ties 2.2mm to 4.8mm



HEAVY DUTY CABLE CUTTING

Conduit/Cable Cutters



Conduit Cutting Tools

- Conduit cutting tool, ideal for cutting conduit 10mm to 40mm

Material: Steel



Code	Description	Cutting Capacity
CCT42	Conduit cutting tool	6 - 42




Hand Cutting Tool - up to 38mm²

Hand Cutting Tool for copper and aluminium cable.

Cutting Capacity: Up to 38mm²

Length: 210mm



Code	Description	Tool Length	Cutting Capacity (mm ²)
CC1	Hand Tool	210.0	up to 38




Heavy Duty Hand Cutting Tool - up to 95mm²

Heavy Duty Hand Cutting Tool for copper and aluminium cable.

Cutting Capacity: Up to 95mm²

Length: 315mm



Code	Description	Tool Length	Cutting Capacity (mm ²)
CC2	Hand Tool	315.0	up to 95




Heavy Duty Hand Cutting Tool - up to 250mm²


Heavy Duty Hand Cutting Tool for copper and aluminium cable.

Cutting Capacity: Up to 250mm²

Length: 600mm



Code	Description	Tool Length	Cutting Capacity (mm ²)
CC3	Hand Tool	600.0	up to 250




Heavy Duty Ratchet Cutting Tool - up to 240mm²

Heavy Duty Ratchet Cutting Tool for copper and aluminium cable.

Cutting Capacity: Up to 240mm²

Length: 250mm



Code	Description	Tool Length	Cutting Capacity (mm ²)
RLK-240	Hand Ratchet Tool	250.0	up to 240

Heavy Duty Ratchet Cutting Tool - up to 400mm²

Heavy Duty Ratchet Cutting Tool for copper and aluminium cable.

Cutting Capacity: Up to 400mm²

Length: 240mm




Code	Description	Tool Length	Cutting Capacity (mm ²)
RHS-500B	Hand Ratchet Tool	240.0	up to 400

Heavy Duty Ratchet Cutting Tool - up to 250mm²

Heavy Duty Ratchet Cutting Tool for Steel Wire Armour (SWA) cable.

Cutting Capacity: Up to 250mm² (32mm Diameter)

Length: 430mm



Code	Description	Tool Length	Cutting Capacity (mm ²)
RSWA4	Hand Ratchet Tool	430.0	up to 250



Call the Remora sales team at **01226 352 000**

Challenge us - We find a solution

CORD END CRIMP TOOLING

Cord End Crimping Tools




Cord End Quad Action Crimping Tool 0.25 to 10.0mm²

Ratchet quad action self adjusting tool for crimping Cord End Terminals.

Crimping Range: 0.25 to 10.0mm²

Length: 175mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMPF1	Cord End Hand Ratchet Tool	175.0	0.25 - 10.0



Cord End Ratchet Crimping Tool 0.25 to 6.0mm²

Ratchet action tool for crimping Cord End Terminals.

Crimping Range: 0.25 to 6.0mm²

Length: 200mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMPF2	Cord End Hand Ratchet Tool	200.0	0.25 - 6.0



Cord End Ratchet Crimping Tool 6.0 to 16.0mm²

Ratchet action tool for crimping Cord End Terminals.

Crimping Range: 6.0 to 16.0mm²

Length: 230mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMPF3	Cord End Hand Ratchet Tool	230.0	6.0 - 16.0



Cord End Ratchet Crimping Tool 10.0 to 35.0mm²

Ratchet action tool for crimping Cord End Terminals.

Crimping Range: 10.0 to 35.0mm²

Length: 240mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMPF4	Cord End Hand Ratchet Tool	240.0	10.0 - 35.0




Twin Cord End Ratchet Crimping Tool 0.5 to 16.0mm²

Ratchet action tool for crimping Twin Cord End Terminals.

Crimping Range: 0.5 to 16.0mm²

Length: 226mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMPT1	Twin Cord End Hand Ratchet Tool	226.0	0.5 - 16.0

**TWIN
Cord End**

Pre-Insulated Crimping Tools

Pre-Insulated Ratchet Crimping Tool 0.5 to 6.0mm²

Ratchet action tool for crimping Pre-Insulated Terminals.

Crimping Range: 0.5 to 6.0mm²

Length: 230mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMP2	Pre-Insulated Hand Crimping Tool	230.0	0.5 - 6.0



Pre-Insulated Ratchet Crimping Tool 0.5 to 6.0mm²

Ratchet action tool for crimping Pre-Insulated Terminals.

Crimping Range: 0.5 to 6.0mm²

Length: 260mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMP2P	Pre-Insulated Hand Crimping Tool	260.0	0.5 - 6.0



Premium

Flag Terminal Ratchet Crimping Tool 0.5 to 2.5mm²

Ratchet action tool for crimping Pre-Insulated Flag Terminals.

Crimping Range: 0.5 to 2.5mm²

Length: 230mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMPFT	Flag Terminal Crimping Tool	230.0	0.5 - 2.5



Flag Terminal

3in1 Ratchet Crimping Tool

This 3in1 ratchet action tool offers the flexibility to crimp Cord End Terminals, Pre-Insulated Terminals & Non-Insulated Sheet Terminals by swapping the interchangeable die sets. Ideal solution to reduce the number of tools required.

Crimping Range: 0.5-10mm² / 0.5-6mm² / 0.5-6mm²

Length: 220mm

Dies: 3 sets



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMP3/1	Cord End/Pre-Insulated/Sheet Terminals	220.0	0.5 - 10.0



0.5-10mm² Cord End Terminals
0.5-6mm² Pre Insulated Terminals
0.5-6mm² Non-Insulated Sheet Terminals

Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing/Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security

UNINSULATED CRIMP TOOLING

Uninsulated Crimping Tools

Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security




Uninsulated Compact Ratchet Crimping Tool 1.5 to 16.0mm²

Compact Hand Ratchet Crimping Tool for uninsulated copper tube terminals from 1.5 to 16.0mm².

Crimping Range: 1.5 to 16.0mm²

Length: 230mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMP1.5-16	Uninsulated Ratchet Crimping Tool	230.0	1.5 - 16.0




Uninsulated Ratchet Crimping Tool 1.5 to 16.0mm²

Hand Ratchet Crimping Tool for uninsulated copper tube terminals from 1.5 to 16.0mm².

Crimping Range: 1.5 to 16.0mm²

Length: 280mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMP5-A	Uninsulated Ratchet Crimping Tool	280.0	1.5 - 16.0




Uninsulated Ratchet Crimping Tool 6.0 to 25.0mm²

Hand Ratchet Crimping Tool for uninsulated copper tube terminals from 6.0 to 25.0mm².

Crimping Range: 6.0 to 25.0mm²

Length: 365mm



Code	Description	Tool Length	Crimping Capacity (mm ²)
CRIMP5	Uninsulated Ratchet Crimping Tool	365.0	6.0 - 25.0

UNINSULATED CRIMPING TOOLS | Tooling & Cable Prep

UNINSULATED CRIMP TOOLING

Mechanical Indent Crimping Tool 10.0 to 120.0mm²

Mechanical Indent Crimping Tool for uninsulated copper tube terminals from 10.0 to 120.0mm².

Crimping Range: 10.0 to 120.0mm²

Length: 580mm



TOROTEK

Code	Description	Tool Length	Crimping Capacity (mm ²)
RM120	Uninsulated Hand Indent Crimping Tool	580.0	10.0 - 120.0



Mechanical Hexagonal Crimping Tool - 6.0 to 50.0mm²

Mechanical Crimping Tool for uninsulated copper tube terminals from 6.0 to 50.0mm².


Crimping Range: 6.0 to 50.0mm²

Length: 380mm



TOROTEK

Code	Description	Tool Length	Crimping Capacity (mm ²)
HEXCRIMP50	Mechanical Hexagonal Crimping Tool	380.0	6.0 - 50.0



Mechanical Hexagonal Crimping Tool - 16.0 to 120.0mm²

Mechanical Crimping Tool for uninsulated copper tube terminals from 16.0 to 120.0mm².

Crimping Range: 16.0 to 120.0mm²

Length: 650mm



TOROTEK

Code	Description	Tool Length	Crimping Capacity (mm ²)
HEXCRIMP120	Mechanical Hexagonal Crimping Tool	650.0	16.0 - 120.0



Mechanical Hexagonal Crimping Tool - 25.0 to 150.0mm²

Mechanical Crimping Tool for uninsulated copper tube terminals from 25.0 to 150.0mm².

Crimping Range: 25.0 to 150.0mm²

Length: 650mm



TOROTEK

Code	Description	Tool Length	Crimping Capacity (mm ²)
HEXCRIMP150	Mechanical Hexagonal Crimping Tool	650.0	25.0 - 150.0



Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security

Hand Hydraulic Crimping & Cutting Tools

Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security



Compact Hand Hydraulic Crimping Tool 10.0 to 150.0mm²

TorqTek compact and light weight hand Hydraulic hexagon crimping tool for uninsulated copper tube terminals from 10.0 to 150.0mm². This tool features a rotational head 180° which enables access to restricted areas.

Hydraulic system with safety valve to avoid overload.

Supplied complete with carry case and full set of dies to cover cable sizes from 10.0mm² to 150mm².

Crimping Range: 10.0 to 150.0mm²

Crimping Force: 35KN

Stroke: 13mm

Crimp Type: Hexagon Crimp

Length: 215x50x175mm

Weight: 1.36Kgs



Code	Description	Tool Length	Crimping Capacity (mm ²)
CHHC150	Compact Hydraulic Hexagon Crimping Tool	215.0	10.0 - 150



Hand Hydraulic Hexagon Crimping Tool 10.0 to 150.0mm²

TorqTek compact and light weight hand Hydraulic hexagon crimping tool for uninsulated copper tube terminals from 10.0 to 150.0mm². With a quick opening & closing head it's easy to replace die sets. This tool features a rotational head 180° which enables access to restricted areas.

Hydraulic system with safety valve to avoid overload.

Supplied complete with carry case and full set of dies to cover cable sizes from 10.0mm² to 150mm².

Crimping Range: 10.0 to 150.0mm²

Crimping Force: 60KN

Stroke: 15mm

Crimp Type: Hexagon Crimp

Length: 370x65x140mm

Weight: 2.28Kgs




Code	Description	Tool Length	Crimping Capacity (mm ²)
RHT-51	Hand Hydraulic Hexagon Crimping Tool	370.0	10.0 - 150



HYDRAULIC CRIMPING & CUTTING | Tooling & Cable Prep

HYDRAULIC CRIMP and CUTTING TOOLING




Hand Hydraulic Hexagon Crimping Tool 10.0 to 400.0mm²

TorqTek Hand Hydraulic hexagon crimping tool for uninsulated copper tube terminals from 10.0 to 400.0mm².

Two stage hydraulic system with fast feed and power stroke, safety valve to avoid overload, twist the handle to release the pressure.

Supplied complete with carry case and full set of dies to cover cable sizes from 10.0mm² to 400mm².



Crimping Range: 10.0 to 400.0mm²

Crimping Force: 116KN

Stroke: 30mm

Crimp Type: Hexagon Crimp

Length: 625mm

Weight: 7.48Kgs



TORQTEK



Code	Description	Tool Length	Crimping Capacity (mm ²)
RTCHH400	Hand Hydraulic Hexagon Crimping Tool	625.0	10.0 - 400.0

Hand Hydraulic Cutting Tool up to 50mm Diameters

TorqTek compact Hand Hydraulic cutting tool suitable for copper cables up to 50mm outer diameter.


Cutting Range: up to 50.0mm diameter

Cutting Force: 60KN

Oil Capacity: 8ml

Length: 630mm

Weight: 7.10Kgs



TORQTEK



Code	Description	Tool Length	Cutting Capacity (mm OD)
HHCT50	Hand Hydraulic Cutting Tool	630.0	up to 50.0



Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing/Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security

HYDRAULIC CRIMP and CUTTING TOOLING

Hydraulic Crimping & Cutting Tools

Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security



Hydraulic Hexagon Crimping Head 35.0 to 630.0mm²

The TorqTek HCH630 tool has a heavy duty hydraulic hexagon crimping head for uninsulated copper tube terminals from 35.0 to 630.0mm². Supplied in a sturdy carry case and complete with HFP hydraulic foot pump. Manufactured from forged alloy steel, the crimp dies are precision designed and supplied from 35 to 630mm²

HCH630 Head
Crimping Range: 35.0 to 630.0mm²
Length: 350mm
Weight: 11.0Kgs

HFP Foot Pump
Max Output Pressure: 1st Stage 20Kg² / 2nd Stage 700Kg²
Oil Output: 13ml Low Pressure / 2.8ml High Pressure
Oil Capacity: 700cc
Weight: 12.5Kgs



Code	Description	Tool Length	Crimping Capacity (mm ²)
HCH630-HFP	Hydraulic Hexagon Crimping Head	350.0	35.0 - 630.0




Hydraulic Cutting Head up to 100mm Diameter

The TorqTek HCH100 hydraulic cutting head tool for suitable for cables up to 100mm diameters. The head can be easily opened to cut running cables and the handle allows comfortable positioning of the head onto the cable to be cut. Supplied in a sturdy carry case and complete with HFP hydraulic foot pump.

HCH100 Head
Cutting Range: up to 100mm diameter
Cutting Force: 60KN
Oil Capacity: 15ml
Length: 515mm
Weight: 8.40Kgs

HFP Foot Pump
Max Output Pressure: 1st Stage 20Kg² / 2nd Stage 700Kg²
Oil Output: 13ml Low Pressure / 2.8ml High Pressure
Oil Capacity: 700cc
Weight: 12.5Kgs



Code	Description	Tool Length	Cutting Capacity (mm OD)
HCH100-HFP	Hand Hydraulic Cutting Tool	515.0	up to 100.0



Battery Powered Crimping Tool



Battery Powered Hexagon Crimping Tool 10.0 to 300.0mm²

Introducing the advanced TorqTek BPT300 battery-operated crimping tool, designed for precision in lug compression within the range of 10.0-300.0mm². Equipped with a two-stage Hydraulic System boasting a formidable 60kN crimping force and a 180° head rotation, the BPT300 stands as a versatile solution for comprehensive crimping applications.

Featuring an OLED Display, the tool provides real-time information, including battery percentage, crimping times, fault codes, and maintenance notes. The Li-Ion 18V 2Ah batteries not only ensure faster charging times but also contribute to a swift crimp cycle with durations ranging from 2.5 to 4 seconds, optimizing operational efficiency. Elevate your crimping experience with the cutting-edge technology embodied in the TorqTek BPT300

- Crimping Range:** 10.0 to 300.0mm²
- Crimping Pressure:** 60KN
- Stroke:** 17mm
- Oil Capacity:** 60ml
- Crimp Type:** Hexagon Crimp
- Length:** 428mm
- Weight:** 3.9Kgs Including Battery

- Battery Capacity:** 18V / 2.0Ah
- Charging Time:** 40mins
- Charging Voltage:** AC 100V-240V; 50-60Hz
- Cycle Time:** 2.5-4s (dependant on die size)



Code	Description	Tool Dimensions	Crimping Capacity (mm ²)
BPT300	Battery Powered Hand Hexagon Crimping Tool	428 x 134 x 75	10.0 - 300.0



Kit Includes

- 1x Crimp Tool
- 2x 2.0Ah Batteries
- 1x Charger
- 1x Replacement Cylinder & Safety Value Seal Set
- 1x Carry Case
- Crimp Dies 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300mm²



• 180° Head Rotation

• One Trigger Control



• LCD Power & Usage Display

• 18V 2.0Ah Li-Ion Battery

Ident & Wiring Term
Copper Lugs
Heatshrink Repair
Cable Joining
Junction Boxes
Flexible Conduit
Cable Glands
Gland Accs.
Cable Cleats
Earthing Lightning
MCC Cable
Cable Ties & Acc
Tooling & Cable Prep
Fixing & Security

BATTERY POWERED CRIMPING

Battery Powered Crimping Tool

Battery Powered Hexagon Crimping Tool 10.0 to 400.0mm²

Introducing the cutting-edge TorqTek BCT400 battery-operated crimping tool, meticulously engineered for precision lug compression spanning 10.0-400.0mm². Featuring an advanced two-stage hydraulic system with fast feed and power control, it delivers an impressive 120kN crimping force. With a 350° head rotation, the BCT400 is a versatile tool, accommodating a broad crimping range for diverse applications.

The OLED Display provides essential real-time information, showcasing battery percentage, crimping times, fault codes, and maintenance notes. Powered by the new Li-Ion 18V 4Ah batteries, this tool ensures higher capacity, while the crimp cycle operates at a swift 5-8 seconds, optimizing efficiency in your crimping processes. Elevate your crimping operations with the unmatched capabilities of the TorqTek BCT400.

- Crimping Range:** 10.0 to 400.0mm²
- Crimping Pressure:** 120KN
- Stroke:** 42mm
- Oil Capacity:** 160ml
- Crimp Type:** Hexagon Crimp
- Length:** 412mm
- Weight:** 7.3Kgs Including Battery

- Battery Capacity:** 18V / 4.0Ah
- Charging Time:** 80mins
- Charging Voltage:** AC 100V-240V; 50-60Hz
- Cycle Time:** 5-8s (dependant on die size)
- Cycles/Charge:** Approx 120 cycles (150mm²)



TORQTEK

Code	Description	Tool Dimensions	Crimping Capacity (mm ²)
BCT400	Battery Powered Hand Hexagon Crimping Tool	412 x 326 x 78	10.0 - 400.0



Kit Includes

- 1x Crimp Tool
- 2x 4.0Ah Batteries
- 1x Charger
- 1x Replacement Cylinder & Safety Valve Seal Set
- 1x Carry Case
- Crimp Dies 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400mm²




All dimensions in mm except where stated

Ident & Wing Term
 Copper Lugs
 Heatshrink Repair
 Cable Joining
 Junction Boxes
 Flexible Conduit
 Cable Glands
 Gland Accs.
 Cable Cleats
 Earthing Lightning
 MCC
 Cable Ties & Acc
 Tooling & Cable Prep
 Fixing & Security

Tool Hire

Crimping & Cutting

Just one telephone call is all it takes to reserve a crimping tool for collection or despatch. All tools offered for hire are regularly serviced and fully checked prior to despatch.



Hand Hydraulic Hexagon Crimping Tool 10.0 to 150.0mm²

Code	Description	Tool Length	Crimping Capacity (mm ²)
RHT-51	Hand Hydraulic Hexagon Crimping Tool	370.0	10.0 - 150



Hand Hydraulic Hexagon Crimping Tool 10.0 to 400.0mm²

Code	Description	Tool Length	Crimping Capacity (mm ²)
RTCHH400	Hand Hydraulic Hexagon Crimping Tool	625.0	10.0 - 400.0



Battery Powered Crimping Tool 10.0 to 400.0mm²

Code	Description	Tool Length	Crimping Capacity (mm ²)
BPT300	Battery Powered Hand Hexagon Crimping Tool	428.0	10.0 - 300.0
BCT400	Battery Powered Hand Hexagon Crimping Tool	412.0	10.0 - 400.0



Hydraulic Hexagon Crimping Head 35.0 to 630.0mm²

Code	Description	Tool Length	Crimping Capacity (mm ²)
HCH630-HFP	Hydraulic Hexagon Crimping Head	350.0	35.0 - 630.0



Hydraulic Cutting Head up to 100mm Diameters

Code	Description	Tool Length	Cutting Capacity (mm OD)
HCH100-HFP	Hand Hydraulic Cutting Tool	515.0	up to 100.0



Ident. & Wiring Term

Copper Lugs

Heatshrink Repair

Cable Joining

Junction Boxes

Flexible Conduit

Cable Glands

Gland Accs.

Cable Cleats

Earthing/Lighting

MCC Cable

Cable Ties & Acc

Tooling & Cable Prep

Fixing & Security