


# GRIPLOC® NYLON CABLE GLANDS | Cable Glands

## METRIC GRIPLOC® NYLON ATEX IECEX CABLE GLANDS

### Nylon ATEX IECEX Exe Glands™ Metric - Blue

- ATEX Exe Metric range of nylon cable glands.
- For Hazardous Locations
- Standards:** EN 60079-0, EN 60079-7, EN 60079-31
- Device Group:** II
- Category:** 2 and 3
- Atmosphere:** G/D
- Zone:** 1, 2 - 21, 22
- Temperature Range:** -20°C to 80°C (static)
- Material (Gland):** PA (Nylon) UL 94 V2
- Material (Seal):** Silicone
- Protection:** IP66 / IP68



Code	Cable Range (B)		Entry Thread Size	Gland		A/F	Pack QTY
	Min	Max		Length (L1)	Length (L2)		
GripLoc-EX-M12-BL	3.0	6.5	M12 x 1.5	8.0	29.0	15.0	10
GripLoc-EX-M16-BL	6.0	8.0	M16 x 1.5	8.0	30.0	19.0	10
GripLoc-EX-M20-BL	6.0	12.0	M20 x 1.5	9.0	36.0	24.0	10
GripLoc-EX-M25-BL	13.0	18.0	M25 x 1.5	11.0	42.0	33.0	10
GripLoc-EX-M32-BL	18.0	25.0	M32 x 1.5	11.0	48.0	42.0	10
GripLoc-EX-M40-BL	22.0	32.0	M40 x 1.5	13.0	61.0	53.0	5
GripLoc-EX-M50-BL	32.0	38.0	M50 x 1.5	13.0	62.0	60.0	5
GripLoc-EX-M63-BL	37.0	44.0	M63 x 1.5	14.0	62.0	68.0	2



Call the Remora sales team at 01226 352 000

Challenge us - We find a solution

Ident & Wiring Term  
Copper Lugs  
Heatshrink Repair  
Cable Joining  
Junction Boxes  
Flexible Conduit  
Cable Glands  
Gland Accs.  
Cable Cleats  
Earthing/Lighting  
MCC Cable  
Cable Ties & Acc  
Tooling & Cable Prep  
Fixing & Security