HOLE ENLARGEMENT ARBOR

The KA19 facilitates enlarging diameters by swapping out the pilot drill on your arbor and attaching a saw of the same size as the existing hole. This saw serves as the pilot for the larger diameter saw attached to the arbor.







Cat No

DB2



Please note: Hole Saws and Arbor are supplied separately.

Cat. No.	Item Number	Minimum Hole Enlargement
KA19	AY228	4.7mm (3/16") between pilot hole saw and cutting saw diameter.

DEBRIS COLLECTOR

NO CLEAN UP - NO DRILL DAMAGE - NO DEBRIS SPREAD

FEATURES:

- The bowl flexes with minimal pressure as the hole is cut
- Significant time savings: no need to mask areas at risk before sawing or clean up afterward
- Keeps dust and debris out of the drill motor
- Suitable for hole saws up to 121mm (4 3/4")
- **STAGE ONE** | Pass the shank of the arbor through the hole at the bottom of the DB2 and attach to the drill in the normal way. Always ensure that the Debris Collector spins freely prior to use.
- **STAGE TWO** | Site the saw for cutting the hole. The Debris Collector can be pulled down to provide a better view of the work area.
- **STAGE THREE** | Drill the hole.
- **STAGE FOUR** | All the dirt and debris from the cut hole is collected inside the Debris Collector.





STAGE

AY2835







Debris Collector







